	Application No.	Applicant(s)			
	10/739,082	SHARPE, THOMAS H.			
Notice of Allowability	Examiner	Art Unit			
	Ted Kim	3746			
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED or other appropriate comme GHTS. This application is	n this application. If not included unication will be mailed in due course. <b>THIS</b>	/e		
1. This communication is responsive to					
2. ☑ The allowed claim(s) is/are <u>1-18</u> .					
3. $\boxtimes$ The drawings filed on <u>19 December 2003</u> are accepted by	the Examiner.				
<ul> <li>4. ☐ Acknowledgment is made of a claim for foreign priority until a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have</li> <li>2. ☐ Certified copies of the priority documents have</li> <li>3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>	been received. been received in Applicati	on No			
Applicant has THREE MONTHS FROM THE "MAILING DATE" on noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		e a reply complying with the requirements			
5. A SUBSTITUTE OATH OR DECLARATION must be submi					
6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") mus  (a) ☐ including changes required by the Notice of Draftspers  1) ☐ hereto or 2) ☐ to Paper No./Mail Date  (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1.	on's Patent Drawing Revie	r in the Office action of			
each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).					
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.					
<ul> <li>Attachment(s)</li> <li>1.  Notice of References Cited (PTO-892)</li> <li>2.  Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>3.  Information Disclosure Statements (PTO-1449 or PTO/SB/05 Paper No./Mail Date 12/19/2003</li> <li>4.  Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>	6. ☐ Interview S Paper No. 8), 7. ☑ Examiner's	nformal Patent Application (PTO-152) nummary (PTO-413), /Mail Date Amendment/Comment Statement of Reasons for Allowance			

Application/Control Number: 10/739,082

Art Unit: 3746

## **EXAMINER'S AMENDMENT**

Page 2

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

- 2. The specification of the application has been amended as follows:
  - On page 9, line 10, "505" has been replaced by 585 to correct an obvious typographical error.
  - On page 9, line 12, "505" has been replaced by 585 to correct an obvious typographical error.
  - On page 9, line 16, "505" has been replaced by 585 to correct an obvious typographical error.
  - On page 9, line 21, "505" has been replaced by 585 to correct an obvious typographical error.

## **REASONS FOR ALLOWANCE**

3. The following is an examiner's statement of reasons for allowance: the prior art of record do not fairly teach in permissible combination the claimed invention.

The closest art of record is the Sharpe (4,085,585) reference which is discussed in the specification on page 9 including differences between the reference the instant

Art Unit: 3746

application. The following limitations are not fairly taught in permissible combination with the rest of the claim limitations:

- "said exhaust gas recirculation duct having an open rearward end communicating with said combustion section, and a forward end opposite said rearward end (claims 1, 7, 13)" nor
- "a plurality of air entrainment venturis disposed in an annular array about and forwardly adjacent said rearward end of said exhaust gas recirculation duct (claim
  1)." In the Sharpe '585 patent, only a single annular venturi is used. Nor
- "an exhaust duct extending from said exhaust gas recirculation duct to said engine exhaust power fuel pump drive turbine (claim 7)." Pensel (3,570,250) teaches at least one fuel pump 35; an electrically powered fuel pump drive motor 40, operating said at least one fuel pump during starting operations; an engine exhaust 42 powered fuel pump drive turbine 38, operating said at least one fuel pump during operation after starting. However, there is no teaching of using the recirculation duct to provide the exhaust. Nor
- "an outlet nozzle extending from starting fuel injectors, each disposed forwardly of each of said injectors, and aligned axially with airflow; ... and a fuel deflector disposed rearwardly of and aligned with at least each of said outlet nozzles of said starting fuel injectors (claim 13)." In the Sharpe '585 patent, only a single annular nozzle is used and there is not teaching of using a fuel deflector.

Application/Control Number: 10/739,082

Art Unit: 3746

Page 4

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 3746

## **Contact Information**

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Ted Kim whose telephone number is 703-308-2631. The Examiner can be reached on regular business hours before 5:00 pm, Monday to Thursday and every other Friday.

The fax numbers for the organization where this application is assigned are 703-872-9306 for Regular faxes and 703-872-9306 for After Final faxes.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Justine Yu, can be reached on 703-308-2675.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist of Technology Center 3700, whose telephone number is 703-308-0861.

General inquiries can also be directed to Technology Center Customer Service

Office at 703-306-5648 or the Patents Assistance Center whose telephone number is 800786-9199. Furthermore, a variety of online resources are available at

http://www.uspto.gov/main/patents.htm

Ted Kim	Telephone	703-308-2631
Primary Examiner	Fax (Regular)	703-872-9306
May 17, 2004	Fax (After Final)	703-872-9306
Technology Center 3700 Receptionist	Telephone	703-308-0861
Technology Center 3700 Customer Service	Telephone	703-306-5648
Patents Assistance Center	Telephone	800-786-9199